

AV. DU 1ER MARS 33, CP 3052 CH-2001 NEUCHÂTEL SWITZERLAND

> PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: www.schurch-asco.com



10. VARIOUS

Small Flexible Rule ASCO

Stainless steel, matt chrome din 866B MM + 1/2 MM

| Ref. | Length | Width | Thickness | DIN | Price |
|-------|---------|-------|-----------|------|--------|
| 00650 | 150 mm | 13 mm | 0.5 mm | 866B | 9.25 |
| 00652 | 200 mm | 15 mm | 0.5 mm | 866B | 12.40 |
| 00653 | 300 mm | 15 mm | 0.5 mm | 866B | 16.00 |
| | 300 mm | 25 mm | 0.8 mm | 866B | |
| | 500 mm | 19 mm | 0.5 mm | 866B | demand |
| | 500 mm | 30 mm | 0.8 mm | 866B | in: |
| | 1000 mm | 20 mm | 0.5 mm | 866B | |
| | 1000 mm | 35 mm | 1.3 mm | 866B | o |
| | 1500 mm | 35 mm | 1.3 mm | 866B | es |
| | 2000 mm | 35 mm | 1.3 mm | 866B | Prices |
| | 3000 mm | 35 mm | 1.3 mm | 866B | 4 |



Small Flexible Rule ASCO

Stainless steel, matt chrome dual-sided 1/2 MM

| Ref. | Length | Width | Thickness | DIN | Price |
|-------|--------|-------|-----------|------|-------|
| 00651 | 150 mm | 13 mm | 0.5 mm | - | 1.70 |
| 00654 | 200 mm | 13 mm | 0.5 mm | 2768 | 4.10 |



Conditions of sale: Discount: 10 % for 10 to 25 identical pieces

15 % for 26 to 50 identical pieces 20 % for 51 to 100 identical pieces

Sliding Caliper

TESA

ETALON 125, WITH DIAL

Measuring beaks and rule soaked and stabilized. Soaked rank, trued toothing Turning dial diameter 32 mm with blocking Anti-shock double effect Sliding block with blocking screw

Conditions of sale: Net prices

| | | | Measuring range | Price |
|-----|----|--------------|-------------------------------|--------|
| 006 | 83 | Standard 125 | $0 \to 150 \text{ mm} / 0.02$ | 148.00 |



June 2023 Others 225



PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: WWW.SCHURCH-ASCO.COM

TESA-CAL



Swiss made DIN 862 protected against liquid throwings IP67, delivered with certificate and measuring report. Carrying out of a drive runner is available on demand for the same price.

| | _ | Measuring range | Price |
|-------|---------------|--|--------|
| 16301 | Tesa-Cal IP67 | $0 \rightarrow 150 \text{ mm} / 0.001$ | 197.00 |

micromaster® capa @ ystem 0.30 mm / 0-1.2 in swiss MAGE

Micrometer

TESA

MICROMASTER EASY

New patented electronic measuring system CAPA μ SYSTEM with large size digital displaying with simplified functions.

| | | Measuring range | |
|-------|------------------|---------------------------------------|--------|
| 16302 | Micromaster Easy | $0 \rightarrow 30 \text{ mm} / 0.001$ | 306.00 |



Base for Micrometer TESA

Base for external micrometers up to 300 mm or for other instruments

Varnished cast-iron base, blocking of the inclination with a unique screw.

| Ref. | f. Designation | |
|-------|----------------|--------|
| 16305 | Base | 134.00 |



Marking-Gauge PIERRE LAMBERT

Multipurpose marking-Gauge including 1 point, 2 pliers of 20 and 90mm, one key and the main base.

| Ref. | - U | |
|-------|------------|--------|
| 16305 | 0 - 160 mm | 250.00 |

Conditions of sale: Net prices

226 Others August 2018



Av. Du 1er Mars 33, CP 3052 CH-2001 Neuchâtel Switzerland

PHONE: +41 32 724 3434 FAX: +41 32 724 3436 EMAIL: INFO@SCHURCH-ASCO.COM

WEB: WWW.SCHURCH-ASCO.COM



Asco 3D comparator

DIGITAL AND ANALOG

It combines the best of both worlds and can be played both digitally and analogically. Digital display with numbers allows reading with an accuracy of 0.005 mm.

Following a rapidly changing digital display with your eyes is almost impossible.

But our additional analog display ensures safety for the user. A built-in LED indicates to the user the status of the survey process using different colors.

The famous ceramic stylus inserts with carbide balls 03 and 06 mm are suitable.

| Ref. | Designation | Measuring range | Price |
|-------|--------------------------|-------------------------------|--------|
| 16303 | Comparator Tschorn 3D | 0.005 mm | 372.00 |
| 16307 | Palpor 3D | 3D Ceramic 3.00 x 27.00 mm | 27.00 |
| 16308 | Palpor 3D | 3D Ceramic 6.00 x 62.00 mm | 44.00 |



Precision Comparator

TESA

Digico 10

The display and keyboard are adjustable through 270 ° with a bet adjustable zero. Two reference values can be entered by the PRESET function. The displayed reading can be locked by a holding. Digital output opto-isolated RS232.

| Ref. | Designation | Measuring range | Price |
|-------|-------------|---------------------|--------|
| 16304 | Digico 10 | 0 → 12.5 mm / 0.001 | 577.00 |



Precision Comparator COMPAC JET

512 ĸ

Display diameter: 58 mm

| Ref. | Designation | Measuring range | Price |
|-------|-------------|------------------------------|--------|
| 00684 | Compac | $0 \to 10 \text{ mm} / 0.01$ | 164.00 |

Conditions of sale: Net prices

December 2023





PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: WWW.SCHURCH-ASCO.COM

Chuck with two Pliers

Square tooth-forming milling-cutter Scratched brass

| Ref. | Ø pliers | Length cm | Price |
|-------|-------------|-----------|-------|
| 16325 | 0.00 - 3.50 | 12 cm | 19.90 |
| 16324 | 0.00 - 3.00 | 11 cm | 17.60 |
| 16323 | 0.00 - 2.80 | 10 cm | 13.45 |
| 16322 | 0.00 - 2.30 | 9 cm | 11.75 |
| 16321 | 0.00 - 1.80 | 8 cm | 10.50 |
| 16320 | 0.00 - 1.50 | 7 cm | 10.10 |

L cm

Conditions of sale: Net prices

Round tooth-forming milling-cutter Knurled brass



| Ref. | Ø pliers | Ø manche | Price |
|-------|-------------|----------|-------|
| 00646 | 3.50 - 4.00 | 12 mm | 27.50 |
| 00645 | 3.00 - 3.50 | 10 mm | 20.40 |
| 00644 | 2.50 - 3.00 | 9 mm | 15.20 |
| 00643 | 2.00 - 2.50 | 8 mm | 14.10 |
| 00642 | 1.50 - 2.00 | 7 mm | 12.00 |
| 00641 | 0.00 - 1.50 | 6 mm | 10.00 |
| 00640 | 0.00 - 1.20 | 5 mm | 9.00 |

Conditions of sale: Net prices

228 Others January 2024



AV. DU 1ER MARS 33, CP 3052 CH-2001 NEUCHÂTEL SWITZERLAND

> PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: www.schurch-asco.com



EO2100 Trimmer Set

NOGA

The set contains four tools for the trimming of aluminium, brass, steel and PVC. The length for the tool and blade are 140 and 20 mm. The blades can be ordered separately and include 10 items for each reference.

| Ref. | NB Blades | Designa- tion | Color | REF | Price |
|-------|--------------|------------------|--------|--------|-------|
| 16580 | | EO2100 full | set | | 25.80 |
| 16582 | 10 | Alu | Green | BS1010 | 30.00 |
| 16584 | 10 | Brass | Red | BS2010 | 30.00 |
| 16586 | 10 | Steel | Blue | BS1018 | 35.00 |
| 16588 | 10 | PVC | Yellow | BK3010 | 31.00 |



SP1007 Trimmer Set

The SP1007 set includes six trimming tools for inner threading, external chamfer, groove, milling-cutter type, steel or PVC. The blades can be ordered separately and include 1 item or 10 items for each reference.

| Réf | NB Blades | Designation | REF | Price |
|-------|--------------|---------------------|--------|-------|
| 17350 | | SP1007 full set | | 82.70 |
| 17352 | 1 | inner threading | BC1001 | 12.20 |
| 17354 | 1 | groove | BO1001 | 15.80 |
| 17356 | 1 | milling-cutter type | BC1651 | 38.00 |
| 17358 | 1 | external chamfer | EX2001 | 28.10 |
| 17360 | 10 | PVC | BK3010 | 31.00 |
| 17361 | 10 | steel | BS1018 | 35.00 |



Others 229

YT 2000 deburrer set

- YT handle (YT1000)
- triangular mini scraper D75 HSS (BD7501)
- T80 Double End Triangular Medium Scraper (BT8001)

| Réf | NB Blades | Designation | REF | Price |
|-------|--------------|----------------------------------|-----|-------|
| 17351 | Nog | a Interieur YT 2000 Deburrer Set | | 23.90 |

Conditions of sale: discount 10% for 10 identical references or more.

June 2023



PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: WWW.SCHURCH-ASCO.COM

Box of 100 Punches



ASCO IMPERIAL

SET OF COMBINATIONS N° 112

For marking on metals numbers or words like: OIL - LEFT-RIGHT - START - RESERVE - STOCK - 1958 - PATENT - + No - REF. - A 25 - 3/4 - 1/100.

Fonts: beautiful block style, well legible. The composition is rapidly made. The punches are trued in every sense with a tolerance of 0,0025 mm; they assure an exact printing and a perfect alignment. The size designates the size of C.

The box contains 112 pieces: 100 punches, 12 spaces and a typesetter:


A B C D E F G H I J K L M N O P number of pieces: 3 2 2 2 4 2 2 2 3 2 2 3 2 3 3 2

QRSTUVWXYZ & / - . , 1

number of pieces: 1 3 3 2 3 1 2 1 1 1 1 2 2 2 2 4

234567890

number of pieces: 4 3 4 3 3 3 3 3 3



| Ref. FONT SIZE | | Shoft longth | Typesetter letters capacity | | | PRICE |
|----------------|-----------|------------------|-----------------------------|------|------|--------|
| Rei. | FUNI SIZE | Shaft length | 1/19 | 3/29 | 4/39 | PRICE |
| 00655 | 1.0 | 1.6 x 6.4 x 22.2 | 12 | 18 | 24 | 540.40 |
| 00656 | 1.5 | 1.6 x 6.4 x 22.2 | 12 | 18 | 24 | 540.50 |
| 00657 | 2.0 | 2.0 x 6.4 x 22.2 | 9 | 15 | 18 | 420.00 |
| 00658 | 2.5 | 2.4 x 6.4 x 22.2 | 8 | 12 | 16 | 555.20 |
| 00659 | 3.0 | 3.0 x 6.4 x 22.2 | 6 | 9 | 12 | 430.00 |
| 00660 | 5.0 | 4.8 x 6.4 x 22.2 | 4 | 6 | 8 | 656.80 |

| Ref. | DESIGNATION | DIAMETER | N° | PRICE |
|-------|--|-------------------|----|--------|
| 00804 | Typesetter uniquely with rectangular shaft | 19 | 1 | 82.00 |
| 00805 | Typesetter uniquely with rectangular shaft | 29 | 3 | 82.00 |
| 00806 | Typesetter uniquely with rectangular shaft | 39 | 4 | 87.00 |
| 00800 | Typesetter uniquely with cylindrical shaft | 10 | 1 | 132.00 |
| 00801 | Typesetter uniquely with cylindrical shaft | 10 | 2 | 155.00 |
| 00802 | Typesetter uniquely with cylindrical shaft | 10 | 3 | 187.00 |
| 00803 | Typesetter uniquely with cylindrical shaft | 10 | 4 | 187.00 |
| - | Isolated block capitals per 10 assorted pieces | 1 → 5 | | 4.40 |
| - | Isolated spaces per 10 assorted pieces | $1 \rightarrow 5$ | | 1.90 |

Conditions of sale: Increase: 25 % for less than 10 assorted pieces.

230 Others August 2018



Av. Du 1er Mars 33, CP 3052 CH-2001 Neuchâtel Switzerland


PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: www.schurch-asco.com



Number and Letter Punch ASCO IMPERIAL

These punches ASCO IMPERIAL make a precise typing, clear and in a beautiful block style. The block capitals have the same bevels and the same depth. They are set square, centred uniformly on the shaft, producing an excellent alignment using the guide No 11 or a rule. Special strong steel for tapping on metals, cast iron, or non soaked alloy steels. The size designates the size of C. The series of numbers and letters are respectively 0 to 9 and A to Z. The value of the single punch must be defined in the order form.





| Cino | Size Shaft | | Numbers | | Lettres | | Single Punch | |
|------|-------------|-------|---------|-------|---------|-------|--------------|--|
| Size | Snan | Ref. | Price | Ref. | Price | Ref. | Price | |
| 1.0 | 6.3 x 63.5 | 00661 | 38.00 | 00672 | 94.00 | 02320 | 5.00 | |
| 1.5 | 6.3 x 63.5 | 00662 | 24.00 | 00673 | 59.00 | 02321 | 5.00 | |
| 2.0 | 6.3 x 63.5 | 00663 | 32.00 | 00674 | 46.00 | 02322 | 4.00 | |
| 2.5 | 6.3 x 63.5 | 00664 | 19.00 | 00675 | 46.00 | 02323 | 4.00 | |
| 3.0 | 6.3 x 63.5 | 00665 | 19.00 | 00676 | 46.00 | 02324 | 4.00 | |
| 4.0 | 8.0 x 70.0 | 00666 | 21.00 | 00677 | 53.00 | 02325 | 4.50 | |
| 5.0 | 8.0 x 70.0 | 00667 | 21.00 | 00678 | 53.00 | 02326 | 4.50 | |
| 6.0 | 9.5 x 70.0 | 00668 | 25.00 | 00679 | 62.00 | 02327 | 6.00 | |
| 8.0 | 12.7 x 89.0 | 00669 | 44.00 | 00680 | 110.00 | 02328 | 10.00 | |
| 10.0 | 14.3 x 89.0 | 00670 | 58.00 | 00681 | 145.00 | 02329 | 14.00 | |
| 12.5 | 19.0 x 89.0 | 00671 | 80.00 | 00682 | 200.00 | 02330 | 18.00 | |

Conditions of sale: Net prices.

Tapping Oil NEOVAL

The base formula is the substance MTO-300. Its optimization degree is unique and it allows exceptional performances.

It reduces the scratching and the wearing out without making sticky.

It prevents incrustations and deposits.

The penetrating lubricating film protects against corrosion.

It increases life lasting and it isolates from humidity.

It does not contain acids, sulphur or silicium.

It replaces many special products.

The 100 ml spray is rechargable with the 400 ml spray.

| Ref. | Designation | Capacity | Price |
|-------|------------------|----------|-------|
| 01000 | Neoval oil spray | 100 ml | 14.55 |
| 01001 | Neoval oil spray | 400 ml | 28.50 |



Conditions of sale: Net prices.

September 2023 Others 231



Av. Du 1er Mars 33, CP 3052 **CH-2001 NEUCHÂTEL SWITZERLAND**

PHONE: +41 32 724 3434


FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM WEB: www.schurch-asco.com

Oil

NEOVAL

RUBIN G8



Thermoresistant and anti-fogging.

| Ref. | Designation | Capacity | Price |
|-------|---------------------|----------|-------|
| 01002 | Neoval oil Rubin G8 | 500 ml | 25.10 |

Conditions of sale: Net prices.

Oil Applicator

NEOVAL LUBRISTYL

Precision tool for the precise application of minimal quantities of oil. It is made with high quality materials: the barrel and the cap are made of synthetic materials resistant to oils and to solvents, the needle is made of stainess steel and the head of the spring is made of glossy metal.

| Ref | | Designation | Capacity | Price |
|------|---|------------------|----------|-------|
| 0100 | 3 | Neoval Lubristyl | 30 ml | 26.25 |



Conditions of sale: Net prices.

Tapping Liquid LOCTITE 8030

For drilling, sawing, tapping or threading of steels (treated or not), the majority of non ferrous metals, in particular for stainless steel.

Exempt from toxicity.

Mineral base/ Viscosity (3)

Temperature range C: N.R

| Ref. | Capacity | Price |
|-------|----------|-------|
| 01005 | 250 ml | 39.20 |

Conditions of sale: Discount: 15 % per pack of 12 pieces.

232 Others September 2023



AV. DU 1ER MARS 33, CP 3052 CH-2001 NEUCHÂTEL SWITZERLAND

> PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: www.schurch-asco.com



Jigger MENDA PUMP

A jigger that allows an economical use of various liquids. A simple pressure on the cap is sufficient to pump a small quantity and bring it to the hole located under the lid. Only the necessary quantity being pumped, and, as the liquid cannot evaporate or be spilled, there is no waste. A precision pipe hermetically closes the liquid jigger and so consents to avoid introduction of impurities or the exchange with toxic vapours. The polyethylene body is resistant to acids and to solvents. The jigger is therefore ideal for acetone, paint, hydrochloric or sulphuric acid, Freon, trichlorethane, alcohols and disinfectants.

| Ref. | Designation | Capacity | Price |
|-------|--------------|----------|-------|
| 16230 | Jigger Menda | 1.18 dl | 35.30 |

Conditions of sale: Discount: 5% from 10 items 10% from 50 items.

HDPE - POLYETHYLENE



Oil-can WITH BIP CLOSING

TRANSPARENT PE PLASTIC

The BIP closing has the following advantages: the tubes can be lengthened in order to oil towards bottom, and plunged back in the oil in order to oil towards top. The closing is also useful as an exit pipe, the waterproof screw is entirely made of brass.

| Ref. | Capacity | Price |
|-------|----------|-------|
| 00687 | 250 ml | 11.10 |
| 00688 | 60 ml | 8.30 |

Conditions of sale: Discount: 10 % from 10 identical items





Grease

Tallow, animal grease.

| Ref. | Packaging | Price |
|-------|-----------|-------|
| 00542 | 1 kg | 24.00 |

Conditions of sale: Net prices.

January 2024 Others 233



Av. Du 1er Mars 33, CP 3052 **CH-2001 NEUCHÂTEL SWITZERLAND**

> PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM WEB: www.schurch-asco.com

CONTAINER

GEIGER CONTAINER

Washing container known as «Benzinière Geiger» and used for all cleaning and degreasing where products flammable solvents and chemicals are required.

100% stainless steel with electropolished finish, which allows better even parts. New, more efficient seal.

Round

| Ref. | 15432 | 16451 | 16453 | 16463 | 16464 | 16523 |
|-----------------|--------|--------|--------|-----------|--------------------|--------------------|
| Ø | 92 | 165 | 230 | | | |
| h closed | 60 | 130 | 165 | Celluloid | Copper Security | Copper Security |
| h opened | 170 | 310 | 400 | Security | Standard | Mini |
| Liters | 0.15 L | 2 L | 5 L | | | |
| Price | 279.80 | 298.00 | 367.00 | 5.90 | 12.80 | 9.75 |

Conditions of sale: Net prices.

Rectangular

| Ref. | 16452 | 16454 | 16455 | | | |
|-----------------|--------|--------|--------|--|--|--|
| Length | 220 | 300 | 300 | | | |
| Width | 220 | 300 | 300 | | | |
| h closed | 220 | 190 | 320 | | | |
| h opened | 440 | 490 | 620 | | | |
| Liters | 10 L | 17 L | 28 L | | | |
| Price | 533.00 | 584.00 | 625.00 | | | |



Stainless steel sives for GEIGER container

These sieves fit the above containers.

| Réf. | 15426 | 15427 | 15428 |
|--------|--------|-------|-------|
| Litres | 0.15 L | 2 L | 5 L |
| Prix | 76.00 | 81.00 | 98.00 |

Conditions of sale: Net prices.



| Réf. | 15429 | 15430 | 15431 |
|--------|--------|--------|--------|
| Litres | 10 L | 17 L | 28 L |
| Prix | 142.00 | 144.00 | 168.00 |



RIMANN INOX CONTAINER

To clean, degrease and rust with flammable or toxic liquids. In case of inflammation of liquid, the copper fuse melts, the lid closes automatically and stifles the fire.

The closed lid stays under pressure, prevents the spread of toxic fumes and protects the health of your employees. A special anchorage secures the container to the work place, which prevents liquids from spilling.

| Ref. | 16428 | 16542 | 16543 | 16544 | 16545 | 16546 | 16547 |
|----------|--------|--------|--------|--------|--------|--------|--------|
| Ø | 98 | 180 | 180 | 233 | 233 | 315 | 315 |
| h | 81 | 140 | 195 | 174 | 268 | 235 | 365 |
| h opened | 171 | 295 | 352 | 383 | 480 | 570 | 700 |
| Liters | 0.15 L | 2 L | 3 L | 5 L | 8 L | 12 L | 20 L |
| Price | 257.00 | 274.00 | 313.00 | 338.00 | 403.00 | 494.00 | 537.00 |

Conditions of sale: Net prices.



STAINLESS STEEL SIEVE FOR RIMANN CONTAINER

These sieves fit the above containers.



| | | | | | | | | THE CO. |
|--------|--------|--------|-------|-------|-------|--------|--------|---------|
| Ref. | 16472 | 16471 | 16457 | 16458 | 16459 | 16460 | 16461 | 16462 |
| Liters | 0.15 L | 0.15 L | 2 L | 3 L | 5 L | 8 L | 12 L | 20 L |
| Price | 129.00 | 87.00 | 75.00 | 80.00 | 92.00 | 100.00 | 149.00 | 155.00 |

Conditions of sale: Net prices.



Only for ref. 16472

With Rilsan coating of solventresistant Polyamide. Fineness of the mesh: 0.8 mm. Protects objects from scratches as best as possible.

234 Others April 2024



Av. Du 1ER MARS 33, CP 3052 **CH-2001 NEUCHÂTEL SWITZERLAND**

PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM WEB: www.schurch-asco.com



Horology vice ASCO mini

Precision vice (14 mm width). Stable base with orientation bowl.

| Ref. | Designation | Price |
|-------|-------------------|--------|
| 16437 | Vice without base | 179.00 |
| 16438 | Removable base | 86.00 |



Conditions of sale: Net prices.

Horology vice ASCO

Precision vice (45 mm width). Base in blackened steel, sliding and removable for workbenches.

| Ref. | Designation | Price |
|-------|----------------|--------|
| 16435 | Vice and base | 291.00 |
| 16436 | Removable base | 55.00 |

Conditions de vente : Discount : 10 % for 10 pieces.

Pegwood - hornbeam

Round pegwoods to be cut for the lapping or the polishing of pieces.

| Ref. | Diameter | Packaging | Price |
|-------|----------|----------------------|-------|
| 07493 | 04.00 mm | 1 packet = 20 pieces | 10.70 |

Pegwood - Charcoal

Round pegwoods to be cut for the lapping or the polishing of pieces.

| Ref. | Diameter | Packaging | Price |
|-------|----------|---------------------|-------|
| 07494 | 2 mm | Bundle of 10 pieces | 08.80 |
| 07495 | 2.5 mm | Bundle of 10 pieces | 09.30 |
| 07497 | 4 mm | Bundle of 10 pieces | 10.00 |
| 07498 | 5 mm | Bundle of 10 pieces | 11.40 |
| 07499 | 6 mm | Bundle of 10 pieces | 12.60 |

Pegwood - hornbeam

Round pegwoods to be cut for the lapping or the polishing of pieces.

| Ref. | Diameter | Packaging | Price |
|-------|----------|----------------------|-------|
| 07487 | 2 mm | 1 packet = 10 pieces | 05.00 |
| 07488 | 2.5 mm | 1 packet = 10 pieces | 05.00 |
| 07489 | 3 mm | 1 packet = 10 pieces | 05.00 |
| 07490 | 4 mm | 1 packet = 10 pieces | 05.00 |
| 07491 | 5 mm | 1 packet = 10 pieces | 06.00 |
| 07492 | 6 mm | 1 packet = 10 pieces | 06.80 |









PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM

WEB: WWW.SCHURCH-ASCO.COM



Natural Elder

For the cleaning or polishing of small horology pieces

| Ref. | Diameter | Packaging | Price |
|-------|----------|----------------------|-------|
| 00318 | 10.00 mm | 1 packet = 10 pieces | 13.50 |



Brushes

ASCO

N° 1100 FLAT WHITE *for industry*

| Ref. | Width | Price |
|-------|-------|-------|
| 00001 | 10 | 32.00 |
| 00002 | 15 | 32.00 |
| 00003 | 20 | 35.00 |
| 00004 | 25 | 39.00 |
| 00005 | 30 | 45.00 |
| 00006 | 35 | 52.00 |
| 00007 | 40 | 57.00 |
| 80000 | 50 | 62.00 |
| 00009 | 60 | 78.00 |

Conditions of sale: Net prices per dozen.

Brushe

ASCO

N° 1100, FLAT BLACK

antistatic extra soft bristles



For delicate dusting of surfaces like appliques, dials, horology constituents, etc.

| Ref. | Width | Price |
|-------|-------|--------|
| 15211 | 10 | 120.00 |
| 15212 | 20 | 133.00 |

Conditions of sale: Net prices per dozen.

236 Others September 2023



AV. DU 1ER MARS 33, CP 3052 CH-2001 NEUCHÂTEL SWITZERLAND

> PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: www.schurch-asco.com



Dusting Brush

Brush with natural bristles for the dusting of the working place.

| Ref. | Size | Price |
|-------|---------------|-------|
| 15213 | 160 x 70 x 20 | 18.30 |
| 15214 | 160 x 70 x 29 | 23.80 |



Black Handbrush

This brush with a handle 220 mm long is used in jewellery and horology. The brush has 4 rows of 120 x 16 mm and is made of black natural bristles.

| Ref. | Ref. Hardness | | Price |
|-------|---------------|---|-------|
| 16500 | extra hard | 0 | 23.45 |
| 16501 | hard | 1 | 17.00 |
| 16502 | semi-hard | 2 | 9.45 |
| 16503 | semi-soft | 3 | 14.55 |



White Handbrush

This brush with a handle 220 mm long is used in jewellery and horology. The brush has 4 rows of 120 x 16 mm and is made of white natural bristles.

| Ref. | Hardness | No | Price |
|-------|------------|----|-------|
| 16510 | extra hard | 0 | 19.70 |
| 16511 | hard | 1 | 19.95 |
| 16512 | semi-hard | 2 | 19.70 |
| 16513 | semi-soft | 3 | 19.80 |
| 16514 | soft | 4 | 19.80 |



Condition de vente : Les prix s'entendent net. Brass Handbrush

This brush with a handle 220 mm long is used in jewellery and horology. The brush has 4 rows of 120 x 16 mm and is made of undulating brass threads.

| Ref. | Thread diameter | Price |
|-------|-----------------|-------|
| 16504 | 0.06 | 23.75 |
| 16505 | 0.08 | 23.75 |
| 16506 | 0.10 | 22.45 |
| 16507 | 0.12 | 21.45 |
| 16508 | 0.15 | 20.90 |
| 16509 | 0.20 | 19.80 |



Conditions of sale: Net prices.

November 2023 Others 237



PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: www.schurch-asco.com

PipeAIR, VACUUM, LIQUID PVC TRANSPARENT



Flexible PVC pipe, reinforced with Nylon.

Recommended for the air, petrol, refrigerating liquids, alcohol, oil, etc. conduits.

Resisting to temperatures from - 20° C to + 70° C. Ray curvature = 4 - 5 x diameter.

The coil length is 50 m for all the articles of diameter up to 19. For larger diameters (in red), the length is 25 m. Delivery of a partial coil is not possible.

| Ref. | Ø _{internal} | Ø _{external} | P 20° [bar] | P 60° [bar] | Price |
|-------|-----------------------|-----------------------|----------------|----------------|--------|
| 00620 | 4 | 10 | | | 60.00 |
| 00621 | 5 | 11 | 26 | 8 | 60.00 |
| 00622 | 6 | 12 | 23 | 7 | 60.00 |
| 00623 | 8 | 14 | 20 | 7 | 150.00 |
| 00624 | 10 | 16 | 18 | 6 | 193.00 |
| 00625 | 13 | 20 | 16 | 6 | 208.00 |
| 00626 | 16 | 23 | 13 | 5 | 251.00 |
| 00627 | 19 | 27 | 11 | 5 | 213.00 |
| 00628 | 25 | 34 | 7 | 4 | 155.00 |
| 00629 | 32 | 42 | 6 | 3 | 213.00 |
| 00630 | 38 | 48 | 6 | 3 | 235.00 |

Conditions of sale: Discount: 10 % for 50 m of a single reference.

15 % for 100 m of a single reference. 20 % for 200 m of a single reference. 25 % for 500 m of a single reference.

Core

WHITE WEAVED NYLON WITH CORE



| Ref. | Ø | Price |
|-------|-----|-------|
| 00633 | 1.0 | 23.00 |
| 00634 | 1.5 | 32.00 |
| 00635 | 2.0 | 34.00 |
| 00636 | 3.0 | 43.00 |
| 00637 | 4.0 | 74.00 |
| 00638 | 5.0 | 93.00 |

Conditions of sale: Net prices per 100 m reel.

238 Others June 2019



AV. DU 1ER MARS 33, CP 3052 CH-2001 NEUCHÂTEL SWITZERLAND

> PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: www.schurch-asco.com



Lacquer SURCOLAK

The protection spray produces a dry film containing corrosion inhibitors. It is soluble in water. The liquid allows a more precise application.

| | SURCOLAK 23P red- orange | | | | |
|-----------------------------|--------------------------|--------|--------|-------|--|
| Ref. Type Adhesion Capacity | | | | Price | |
| 16537 | Spray | strong | 500 ml | 46.30 | |

| PROTEC HV A | | | | | |
|-------------|--------|-----------|----------|--------|--|
| Ref. | Type | Color | Capacity | Price | |
| 16538 | Spray | Colorless | 500 ml | 20.00 | |
| 16539 | Spray | Pink | 500 ml | 19.00 | |
| 16540 | Liquid | Pink | 5000 ml | 160.00 | |







Conditions of sale: Net prices.

NEUTRALÈNE 2005

Cleaning product for the polishing and lapping pastes (does not dissolve the shellac). Security solvent, **very** volatile, fast drying without measurable flash point, for JEMA type machines and ultrasound tanks without heating. It replaces products like benzine, acetone, cleaning alcohols. COV content: 97%

| Ref. | Designation | Packaging | Price / L |
|-------|-----------------|---------------|-----------|
| 16568 | Neutralène 2005 | 5 litres | 31,80 |
| 16569 | Neutralène 2005 | 25 litres | 19.25 |
| 16572 | COV 97% D | = 0.738 kg/Lt | 3.00 |

Conditions of sale: Net prices per liter.



ADDITIVE CADN

Anticorrosion product, water-repellent, additive to solvents Biosane T212 and TE213.

Use: solution 0.5 to 5%. COV content: 100%.

| Ref. | Packaging | Price / L | |
|-------|-----------|-----------|--|
| 16570 | 5 litres | 73.50 | |

Conditions of sale: Net prices per liter.

March 2024





PHONE: +41 32 724 3434 FAX: +41 32 724 3436

EMAIL: INFO@SCHURCH-ASCO.COM
WEB: www.schurch-asco.com



Low alkaline liquid product used for the removal of light oils, honing oils, polishing pastes and finger marks, by ultrasound.

Without harmful compounds
Cleaning all types of metals in the same tank
Excellent emulsification
Compatible with all metals
Concentrated pH: 9.8

Use: 2 to 5% Heating 50 to 70 ° C

| Ref. | Packaging | Price / L |
|-------|-----------|-----------|
| 16579 | 5 liters | 33.35 |
| 16571 | 25 liters | 22.40 |

Conditions of sale: Net prices per liter.

GALVEX 20.31

Hot cleaning solution for shellac, lapping and polishing compound.

Use: 2 to 5% solution, heating to 50 to 70°C.

Content COV 27%.

Time 2 to 5 minutes.

PH (1%) 10-2 Density 1.029.

Sup. voltage 31.4mN/m

| Ref. | Packaging | Price / L | |
|-------|---------------------------------------|-----------|--|
| 16560 | 5 liters | 39.10 | |
| 16561 | 25 liters | 25.70 | |
| 16559 | 25 liters Coulyclean 100 without COV | 28.30 | |
| 16573 | COV 27% D=0.88 kg/Lt Coulyclean100 | 3.00 | |



Conditions of sale: Net prices per liter.

Workbench and chair

Workbench well suited to today watchmaking workshop.

Modular, the work surface can accommodate 1 central drawer and 2 cabinet with drawers (4 drawers and a pull tab) according to production requirements.

Plateau 50 mm thick laminated chipboard. The legs are adjustable in height from 800 to 1050mm.

| | Ref. | Designation | Price | |
|-----|-------|---|---------|--|
| | 16690 | Workbench 1400 x 700 + Central Drawer | | |
| No. | 16691 | 6691 Workbench + Central Drawer + 1 cabinet | | |
| | 16692 | Workbench + Central Drawer + 2 cabinets | 3048.00 | |
| | 16693 | Wooden chair Watchmaker | 506.00 | |

Conditions of sale: Net prices

240 Others June 2023